



117 R.W. Henry Drive, Ettamogah via Albury, NSW 2641 Australia
Phone 0437 871 181
Visy Paper Pty Ltd ACN 005 803 234 ABN 49 984 541 896
Visy Pulp and Paper Pty Ltd ABN 30 086 513 144
www.visy.com.au

Water Monitoring Data Report

5-Jul-22

The attached report contains the water monitoring data for all the licenced water monitoring points as required by the Environment Protection Licence 1272, for July 2021 as part of the reporting period July 2021 - June 2022.

Authorised by:

A handwritten signature in black ink, appearing to read "M O'Donovan", written over a horizontal line.

Matthew O'Donovan
HSE Manager

A handwritten signature in black ink, appearing to read "Johan Stoltz", written over a horizontal line.

Johan Stoltz
General Manager

Latest Publication Date: 5-Jul-22

Monitoring Location No: 13

Environment Protection Licence: 1272

Description: 4 Day Pond Outlet - Quality

Reporting Period: July 2021 to June 2022

Monitoring Type: Grab Sample

Sample Type: Water

Month	Parameter	Units	Concentration Limit	Frequency	Date of Sample	Date of Report	Report No.	Data
Jul-21	BOD	mg/L	N/A	1st Period	6-Jul-21	19-Jul-21	21/0720	0
	Nitrogen (total)	mg/L	N/A	1st Period	6-Jul-21	19-Jul-21	21/0720	1.6
	pH	pH	N/A	1st Period	6-Jul-21	19-Jul-21	21/0720	7.7
	Phosphorus (total)	mg/L	N/A	1st Period	6-Jul-21	19-Jul-21	21/0720	0.20
	TDS	mg/L	N/A	1st Period	6-Jul-21	19-Jul-21	21/0720	146
	TSS	mg/L	N/A	1st Period	6-Jul-21	19-Jul-21	21/0720	0
	Zinc	mg/L	N/A	1st Period	6-Jul-21	19-Jul-21	21/0720	0.01
Aug-21	BOD	mg/L	N/A	2nd Period	9-Aug-21	26-Aug-21	21/0829	0
	Nitrogen (total)	mg/L	N/A	2nd Period	9-Aug-21	26-Aug-21	21/0829	1.3
	pH	pH	N/A	2nd Period	9-Aug-21	26-Aug-21	21/0829	8.3
	Phosphorus (total)	mg/L	N/A	2nd Period	9-Aug-21	26-Aug-21	21/0829	0.20
	TDS	mg/L	N/A	2nd Period	9-Aug-21	26-Aug-21	21/0829	148
	TSS	mg/L	N/A	2nd Period	9-Aug-21	26-Aug-21	21/0829	3
	Zinc	mg/L	N/A	2nd Period	9-Aug-21	26-Aug-21	21/0829	0.01
Sep-21	BOD	mg/L	N/A	3rd Period	7-Sep-21	6-Oct-21	21/0937	5
	Nitrogen (total)	mg/L	N/A	3rd Period	7-Sep-21	6-Oct-21	21/0937	1.9
	pH	pH	N/A	3rd Period	7-Sep-21	6-Oct-21	21/0937	8.2
	Phosphorus (total)	mg/L	N/A	3rd Period	7-Sep-21	6-Oct-21	21/0937	0.20
	TDS	mg/L	N/A	3rd Period	7-Sep-21	6-Oct-21	21/0937	141
	TSS	mg/L	N/A	3rd Period	7-Sep-21	6-Oct-21	21/0937	6
	Zinc	mg/L	N/A	3rd Period	7-Sep-21	6-Oct-21	21/0937	0.01
Oct-21	BOD	mg/L	N/A	4th Period	19-Oct-21	28-Oct-21	21/1099	7
	Nitrogen (total)	mg/L	N/A	4th Period	19-Oct-21	28-Oct-21	21/1099	2.0
	pH	pH	N/A	4th Period	19-Oct-21	28-Oct-21	21/1099	9.0
	Phosphorus (total)	mg/L	N/A	4th Period	19-Oct-21	28-Oct-21	21/1099	0.50
	TDS	mg/L	N/A	4th Period	19-Oct-21	28-Oct-21	21/1099	150
	TSS	mg/L	N/A	4th Period	19-Oct-21	28-Oct-21	21/1099	3
	Zinc	mg/L	N/A	4th Period	19-Oct-21	28-Oct-21	21/1099	0.07
Nov-21	BOD	mg/L	N/A	5th Period	8-Nov-21	18-Nov-21	21/1174	3
	Nitrogen (total)	mg/L	N/A	5th Period	8-Nov-21	18-Nov-21	21/1174	2.5
	pH	pH	N/A	5th Period	8-Nov-21	18-Nov-21	21/1174	7.8
	Phosphorus (total)	mg/L	N/A	5th Period	8-Nov-21	18-Nov-21	21/1174	0.60
	TDS	mg/L	N/A	5th Period	8-Nov-21	18-Nov-21	21/1174	204
	TSS	mg/L	N/A	5th Period	8-Nov-21	18-Nov-21	21/1174	5
	Zinc	mg/L	N/A	5th Period	8-Nov-21	18-Nov-21	21/1174	0.02
Dec-21	BOD	mg/L	N/A	6th Period	7-Dec-21	14-Dec-21	21/1286	5
	Nitrogen (total)	mg/L	N/A	6th Period	7-Dec-21	14-Dec-21	21/1286	2.3
	pH	pH	N/A	6th Period	7-Dec-21	14-Dec-21	21/1286	7.7
	Phosphorus (total)	mg/L	N/A	6th Period	7-Dec-21	14-Dec-21	21/1286	0.60
	TDS	mg/L	N/A	6th Period	7-Dec-21	14-Dec-21	21/1286	152
	TSS	mg/L	N/A	6th Period	7-Dec-21	14-Dec-21	21/1286	8
	Zinc	mg/L	N/A	6th Period	7-Dec-21	14-Dec-21	21/1286	0.02
Jan-22	BOD	mg/L	N/A	7th Period	4-Jan-22	20-Jan-22	22/0010	6
	Nitrogen (total)	mg/L	N/A	7th Period	4-Jan-22	20-Jan-22	22/0010	1.8
	pH	pH	N/A	7th Period	4-Jan-22	20-Jan-22	22/0010	7.5
	Phosphorus (total)	mg/L	N/A	7th Period	4-Jan-22	20-Jan-22	22/0010	0.50
	TDS	mg/L	N/A	7th Period	4-Jan-22	20-Jan-22	22/0010	215
	TSS	mg/L	N/A	7th Period	4-Jan-22	20-Jan-22	22/0010	10
	Zinc	mg/L	N/A	7th Period	4-Jan-22	20-Jan-22	22/0010	0.02
Feb-22	BOD	mg/L	N/A	8th Period	14-Feb-22	7-Mar-22	22/0151	5
	Nitrogen (total)	mg/L	N/A	8th Period	14-Feb-22	7-Mar-22	22/0151	1.8
	pH	pH	N/A	8th Period	14-Feb-22	7-Mar-22	22/0151	8.4
	Phosphorus (total)	mg/L	N/A	8th Period	14-Feb-22	7-Mar-22	22/0151	0.40
	TDS	mg/L	N/A	8th Period	14-Feb-22	7-Mar-22	22/0151	171
	TSS	mg/L	N/A	8th Period	14-Feb-22	7-Mar-22	22/0151	10
	Zinc	mg/L	N/A	8th Period	14-Feb-22	7-Mar-22	22/0151	0.02
Mar-22	BOD	mg/L	N/A	9th Period	1-Mar-22	8-Mar-22	22/0214	4
	Nitrogen (total)	mg/L	N/A	9th Period	1-Mar-22	8-Mar-22	22/0214	1.2
	pH	pH	N/A	9th Period	1-Mar-22	8-Mar-22	22/0214	8.0
	Phosphorus (total)	mg/L	N/A	9th Period	1-Mar-22	8-Mar-22	22/0214	0.30
	TDS	mg/L	N/A	9th Period	1-Mar-22	8-Mar-22	22/0214	155
	TSS	mg/L	N/A	9th Period	1-Mar-22	8-Mar-22	22/0214	9
	Zinc	mg/L	N/A	9th Period	1-Mar-22	8-Mar-22	22/0214	0.02
Apr-22	BOD	mg/L	N/A	10th Period	12-Apr-22	4-May-22	22/0363	2
	Nitrogen (total)	mg/L	N/A	10th Period	12-Apr-22	4-May-22	22/0363	2.1
	pH	pH	N/A	10th Period	12-Apr-22	4-May-22	22/0363	7.6
	Phosphorus (total)	mg/L	N/A	10th Period	12-Apr-22	4-May-22	22/0363	0.20
	TDS	mg/L	N/A	10th Period	12-Apr-22	4-May-22	22/0363	158
	TSS	mg/L	N/A	10th Period	12-Apr-22	4-May-22	22/0363	6
	Zinc	mg/L	N/A	10th Period	12-Apr-22	4-May-22	22/0363	0.01
May-22	BOD	mg/L	N/A	11th Period	3-May-22	19-May-22	22/0426	0

	Nitrogen (total)	mg/L	N/A	11th Period	3-May-22	19-May-22	22/0426	2.9
	pH	pH	N/A	11th Period	3-May-22	19-May-22	22/0426	7.8
	Phosphorus (total)	mg/L	N/A	11th Period	3-May-22	19-May-22	22/0426	0.30
	TDS	mg/L	N/A	11th Period	3-May-22	19-May-22	22/0426	149
	TSS	mg/L	N/A	11th Period	3-May-22	19-May-22	22/0426	5
	Zinc	mg/L	N/A	11th Period	3-May-22	19-May-22	22/0426	0.01
Jun-22	BOD	mg/L	N/A	12th Period	8-Jun-22	4-Jul-22	22/0557	0
	Nitrogen (total)	mg/L	N/A	12th Period	8-Jun-22	4-Jul-22	22/0557	2.1
	pH	pH	N/A	12th Period	8-Jun-22	4-Jul-22	22/0557	8.1
	Phosphorus (total)	mg/L	N/A	12th Period	8-Jun-22	4-Jul-22	22/0557	0.20
	TDS	mg/L	N/A	12th Period	8-Jun-22	4-Jul-22	22/0557	134
	TSS	mg/L	N/A	12th Period	8-Jun-22	4-Jul-22	22/0557	3
	Zinc	mg/L	N/A	12th Period	8-Jun-22	4-Jul-22	22/0557	0.01

General Note: Limits are not applicable to this monitoring point

ND - No Data

N/A-Not Applicable

VP Albury - Groundwater Monitoring Bores - Depth



Latest Publication Date: 5-Jul-22
Monitoring Location No: 14 to 23
Description: Groundwater Monitoring Bores - Depth
Monitoring Type: Grab Sample
Environment Protection Licence: 1272
Reporting Period: July 2021 to June 2022
Sample Type: Depth

Month	Date of Sample	Units	Bore No										
			D3	D4	D5	D6	S7	S8	S11	S17	S20	S21	
Jul-21	06-Jul-21	m	45.00	45.40	44.70	42.70	Note 1	2.00	7.40	Note 1	Note 1	Note 1	8.55
Oct-21	19-Oct-21	m	45.00	45.80	44.70	43.00	Note 1	1.64	7.20	Note 1	Note 1	Note 1	8.60
Jan-22	10-Jan-22	m	45.10	46.00	44.70	45.00	Note 1	1.40	7.05	Note 1	Note 1	Note 1	8.85
Apr-22	12-Apr-22	m	45.30	45.80	44.70	45.50	Note 1	2.32	7.10	Note 1	Note 1	Note 1	8.70

General Note: Limits are not applicable to this monitoring point

Note 1- Bore empty

Note 2- All readings taken from top of casing

VP Albany - Groundwater Monitoring Bores - Quality



Latest Publication Date: 5-Jul-22
 Monitoring Location No: 14 to 23
 Description: Groundwater Monitoring Bores - Quality
 Monitoring Type: Grab Sample

Environment Protection Licence: 1272
 Reporting Period: July 2021 to June 2022
 Sample Type: Water

Month	Parameter	Units	Freq	Date of Sample	Date of Report	Report No.	Bore No									
							D3	D4	D5	D6	S7	S8	Sf1	Sf17	S20	S21
Jul 21	Conductivity	µS/cm	1st Qrt	06-Jul-21	19-Jul-21	21/0720	904	3451	4386	738	Note 1	1059	7052	Note 1	Note 1	2246
	Nitrate	mg/L	1st Qrt	06-Jul-21	19-Jul-21	21/0720	0.0	0.0	0.0	0.6	Note 1	2.8	0.0	Note 1	Note 1	1.9
	Nitrogen (total)	mg/L	1st Qrt	06-Jul-21	19-Jul-21	21/0720	0.5	6.8	5.2	2.3	Note 1	4.2	1.1	Note 1	Note 1	5.3
	pH	pH	1st Qrt	06-Jul-21	19-Jul-21	21/0720	7.5	7.3	7.1	7.2	Note 1	7.3	7.2	Note 1	Note 1	7.1
	Phosphorus (total)	mg/L	1st Qrt	06-Jul-21	19-Jul-21	21/0720	0.30	0.01	0.01	0.01	Note 1	0.10	0.06	Note 1	Note 1	0.30
Oct 21	Conductivity	µS/cm	2nd Qrt	19-Oct-21	15-Nov-21	21/1101	886	3407	4075	721	Note 1	628	6968	Note 1	Note 1	2396
	pH	pH	2nd Qrt	19-Oct-21	15-Nov-21	21/1101	7.3	7.4	7.3	8.1	Note 1	7.2	6.8	Note 1	Note 1	6.9
Jan 22	Conductivity	µS/cm	3rd Qrt	10-Jan-22	25-Jan-22	22/0033	930	4100	710	660	Note 1	280	7500	Note 1	Note 1	2400
	pH	pH	3rd Qrt	10-Jan-22	25-Jan-22	22/0033	7.0	7.3	7.2	8.1	Note 1	6.7	6.9	Note 1	Note 1	7.2
Apr 22	Conductivity	µS/cm	4th Qrt	12-Apr-22	19-Apr-22	22/0365	1075	3762	4455.0	837	Note 1	669.0	7876	Note 1	Note 1	2624
	pH	pH	4th Qrt	12-Apr-22	19-Apr-22	22/0365	8.0	7.3	7.3	8.2	Note 1	7.5	7.3	Note 1	Note 1	7.4

General Note: Limits are not applicable to this monitoring point

Note 1- Bore empty