



FOR A BETTER WORLD

117 R.W. Henry Drive, Ettamogah via Albury, NSW 2641 Australia

Phone 0437 871 181

Visy Paper Pty Ltd ACN 005 803 234 ABN 49 984 541 896

Visy Pulp and Paper Pty Ltd ABN 30 086 513 144

www.visy.com.au

Water Monitoring Data Report

21-Jun-24

The attached report contains the water monitoring data for all the licenced water monitoring points as required by the Environment Protection Licence 1272, for June 2024 as part of the reporting period July 2023 - June 2024.

Authorised by:

A handwritten signature in black ink, appearing to read "M O'Donovan", written over a horizontal line.

Matthew O'Donovan
HSE Manager

A handwritten signature in black ink, appearing to read "J Stoltz", written over a horizontal line.

Johan Stoltz
General Manager

Latest Publication Date: 21-Jun-24

Monitoring Location No: 13

Description: 4 Day Pond Outlet - Quality

Monitoring Type: Grab Sample

Environment Protection Licence: 1272

Reporting Period: July 2023 to June 2024

Sample Type: Water

Month	Parameter	Units	Concentration Limit	Frequency	Date of Sample	Date of Report	Report No.	Data
Jul-23	BOD	mg/L	N/A	1st Period	3-Jul-23	13-Jul-23	23/0692	0
	Nitrogen (total)	mg/L	N/A	1st Period	3-Jul-23	13-Jul-23	23/0692	1.1
	pH	pH	N/A	1st Period	3-Jul-23	13-Jul-23	23/0692	7.7
	Phosphorus (total)	mg/L	N/A	1st Period	3-Jul-23	13-Jul-23	23/0692	0.06
	TDS	mg/L	N/A	1st Period	3-Jul-23	13-Jul-23	23/0692	131
	TSS	mg/L	N/A	1st Period	3-Jul-23	13-Jul-23	23/0692	0
	Zinc	mg/L	N/A	1st Period	3-Jul-23	13-Jul-23	23/0692	0.02
Aug-23	BOD	mg/L	N/A	2nd Period	1-Aug-23	14-Aug-23	23/0795	0
	Nitrogen (total)	mg/L	N/A	2nd Period	1-Aug-23	14-Aug-23	23/0795	1.1
	pH	pH	N/A	2nd Period	1-Aug-23	14-Aug-23	23/0795	8.2
	Phosphorus (total)	mg/L	N/A	2nd Period	1-Aug-23	14-Aug-23	23/0795	0.09
	TDS	mg/L	N/A	2nd Period	1-Aug-23	14-Aug-23	23/0795	129
	TSS	mg/L	N/A	2nd Period	1-Aug-23	14-Aug-23	23/0795	0
	Zinc	mg/L	N/A	2nd Period	1-Aug-23	14-Aug-23	23/0795	0.02
Sep-23	BOD	mg/L	N/A	3rd Period	4-Sep-23	12-Sep-23	23/0917	0
	Nitrogen (total)	mg/L	N/A	3rd Period	4-Sep-23	12-Sep-23	23/0917	1.0
	pH	pH	N/A	3rd Period	4-Sep-23	12-Sep-23	23/0917	8.2
	Phosphorus (total)	mg/L	N/A	3rd Period	4-Sep-23	12-Sep-23	23/0917	0.09
	TDS	mg/L	N/A	3rd Period	4-Sep-23	12-Sep-23	23/0917	139
	TSS	mg/L	N/A	3rd Period	4-Sep-23	12-Sep-23	23/0917	0
	Zinc	mg/L	N/A	3rd Period	4-Sep-23	12-Sep-23	23/0917	0.00
Oct-23	BOD	mg/L	N/A	4th Period	9-Oct-23	9-Oct-23	23/1040	0
	Nitrogen (total)	mg/L	N/A	4th Period	9-Oct-23	9-Oct-23	23/1040	1.1
	pH	pH	N/A	4th Period	9-Oct-23	9-Oct-23	23/1040	7.6
	Phosphorus (total)	mg/L	N/A	4th Period	9-Oct-23	9-Oct-23	23/1040	0.20
	TDS	mg/L	N/A	4th Period	9-Oct-23	9-Oct-23	23/1040	148
	TSS	mg/L	N/A	4th Period	9-Oct-23	9-Oct-23	23/1040	0
	Zinc	mg/L	N/A	4th Period	9-Oct-23	9-Oct-23	23/1040	0.02
Nov-23	BOD	mg/L	N/A	5th Period	7-Nov-23	7-Nov-23	23/1135	5
	Nitrogen (total)	mg/L	N/A	5th Period	7-Nov-23	7-Nov-23	23/1135	1.1
	pH	pH	N/A	5th Period	7-Nov-23	7-Nov-23	23/1135	9.2
	Phosphorus (total)	mg/L	N/A	5th Period	7-Nov-23	7-Nov-23	23/1135	0.20
	TDS	mg/L	N/A	5th Period	7-Nov-23	7-Nov-23	23/1135	147
	TSS	mg/L	N/A	5th Period	7-Nov-23	7-Nov-23	23/1135	5
	Zinc	mg/L	N/A	5th Period	7-Nov-23	7-Nov-23	23/1135	0.01
Dec-23	BOD	mg/L	N/A	6th Period	4-Dec-23	10-Jan-24	23/1229	0
	Nitrogen (total)	mg/L	N/A	6th Period	4-Dec-23	10-Jan-24	23/1229	2.0
	pH	pH	N/A	6th Period	4-Dec-23	10-Jan-24	23/1229	8.7
	Phosphorus (total)	mg/L	N/A	6th Period	4-Dec-23	10-Jan-24	23/1229	0.10
	TDS	mg/L	N/A	6th Period	4-Dec-23	10-Jan-24	23/1229	111
	TSS	mg/L	N/A	6th Period	4-Dec-23	10-Jan-24	23/1229	7
	Zinc	mg/L	N/A	6th Period	4-Dec-23	10-Jan-24	23/1229	0.02
Jan-24	BOD	mg/L	N/A	7th Period	9-Jan-24	5-Feb-24	24/0035	3
	Nitrogen (total)	mg/L	N/A	7th Period	9-Jan-24	5-Feb-24	24/0035	1.3
	pH	pH	N/A	7th Period	9-Jan-24	5-Feb-24	24/0035	7.7
	Phosphorus (total)	mg/L	N/A	7th Period	9-Jan-24	5-Feb-24	24/0035	0.30
	TDS	mg/L	N/A	7th Period	9-Jan-24	5-Feb-24	24/0035	148
	TSS	mg/L	N/A	7th Period	9-Jan-24	5-Feb-24	24/0035	30
	Zinc	mg/L	N/A	7th Period	9-Jan-24	5-Feb-24	24/0035	0.04
Feb-24	BOD	mg/L	N/A	8th Period	5-Feb-24	27-Feb-24	24/0138	2
	Nitrogen (total)	mg/L	N/A	8th Period	5-Feb-24	27-Feb-24	24/0138	0.8
	pH	pH	N/A	8th Period	5-Feb-24	27-Feb-24	24/0138	7.5
	Phosphorus (total)	mg/L	N/A	8th Period	5-Feb-24	27-Feb-24	24/0138	0.08
	TDS	mg/L	N/A	8th Period	5-Feb-24	27-Feb-24	24/0138	123
	TSS	mg/L	N/A	8th Period	5-Feb-24	27-Feb-24	24/0138	9
	Zinc	mg/L	N/A	8th Period	5-Feb-24	27-Feb-24	24/0138	0.03
Mar-24	BOD	mg/L	N/A	9th Period	4-Mar-24	26-Mar-24	24/0241	0
	Nitrogen (total)	mg/L	N/A	9th Period	4-Mar-24	26-Mar-24	24/0241	1.3
	pH	pH	N/A	9th Period	4-Mar-24	26-Mar-24	24/0241	9.1
	Phosphorus (total)	mg/L	N/A	9th Period	4-Mar-24	26-Mar-24	24/0241	0.03
	TDS	mg/L	N/A	9th Period	4-Mar-24	26-Mar-24	24/0241	105
	TSS	mg/L	N/A	9th Period	4-Mar-24	26-Mar-24	24/0241	20
	Zinc	mg/L	N/A	9th Period	4-Mar-24	26-Mar-24	24/0241	0.04
Apr-24	BOD	mg/L	N/A	10th Period	9-Apr-24	22-Apr-24	24/0377	0
	Nitrogen (total)	mg/L	N/A	10th Period	9-Apr-24	22-Apr-24	24/0377	1.3
	pH	pH	N/A	10th Period	9-Apr-24	22-Apr-24	24/0377	8.6
	Phosphorus (total)	mg/L	N/A	10th Period	9-Apr-24	22-Apr-24	24/0377	0.10
	TDS	mg/L	N/A	10th Period	9-Apr-24	22-Apr-24	24/0377	115
	TSS	mg/L	N/A	10th Period	9-Apr-24	22-Apr-24	24/0377	0
	Zinc	mg/L	N/A	10th Period	9-Apr-24	22-Apr-24	24/0377	0.03
May-24	BOD	mg/L	N/A	11th Period	7-May-24	7-May-24	24/0481	0

	Nitrogen (total)	mg/L	N/A	11th Period	7-May-24	7-May-24	24/0481	1.1
	pH	pH	N/A	11th Period	7-May-24	7-May-24	24/0481	9.4
	Phosphorus (total)	mg/L	N/A	11th Period	7-May-24	7-May-24	24/0481	0.00
	TDS	mg/L	N/A	11th Period	7-May-24	7-May-24	24/0481	113
	TSS	mg/L	N/A	11th Period	7-May-24	7-May-24	24/0481	0
	Zinc	mg/L	N/A	11th Period	7-May-24	7-May-24	24/0481	0.02
Jun-24	BOD	mg/L	N/A	12th Period	4-Jun-24	18-Jun-24	24/0577	0
	Nitrogen (total)	mg/L	N/A	12th Period	4-Jun-24	18-Jun-24	24/0577	0.0
	pH	pH	N/A	12th Period	4-Jun-24	18-Jun-24	24/0577	9.2
	Phosphorus (total)	mg/L	N/A	12th Period	4-Jun-24	18-Jun-24	24/0577	0.03
	TDS	mg/L	N/A	12th Period	4-Jun-24	18-Jun-24	24/0577	117
	TSS	mg/L	N/A	12th Period	4-Jun-24	18-Jun-24	24/0577	3
	Zinc	mg/L	N/A	12th Period	4-Jun-24	18-Jun-24	24/0577	0.01

General Note: Limits are not applicable to this monitoring point

ND - No Data

N/A-Not Applicable

VP Albury - Groundwater Monitoring Bores - Depth



Latest Publication Date: 8-May-24
Monitoring Location No: 14 to 23
Description: Groundwater Monitoring Bores - Depth
Monitoring Type: Grab Sample
Environment Protection Licence: 1272
Reporting Period: July 2023 to June 2024
Sample Type: Depth

Month	Date of Sample	Units	Bore No									
			D3	D4	D5	D6	S7	S8	S11	S17	S20	S21
Jul-23	03-Jul-23	m	45.20	47.00	46.70	44.60	Note 1	1.60	6.42	5.61	Note 1	9.10
Oct-23	9-Oct-23	m	45.10	46.80	45.50	45.50	Note 1	1.80	6.16	5.50	Note 1	9.28
Jan-24	15-Jan-24	m	44.70	44.70	44.70	44.50	Note 1	2.72	6.36	Note 1	Note 1	Note 1
Apr-24	9-Apr-24	m	44.70	45.90	44.70	45.20	Note 1	Note 1	7.10	Note 1	Note 1	Note 1

General Note: Limits are not applicable to this monitoring point

Note 1- Bore empty

Note 2- All readings taken from top of casing

VP Albany - Groundwater Monitoring Bores - Quality



Latest Publication Date: 8-May-24
Monitoring Location No: 14 to 23
Description: Groundwater Monitoring Bores - Quality
Monitoring Type: Grab Sample

Environment Protection Licence: 1272
Reporting Period: July 2023 to June 2024
Sample Type: Water

Month	Parameter	Units	Freq	Date of Sample	Date of Report	Report No.	Bore No									
							D3	D4	D5	D6	S7	S8	SF1	SF7	S20	S21
Jul 23	Conductivity	µS/cm	1st Qrt	03-Jul-23	13-Jul-23	23/0693	915	3445	3530	729	Note 1	581	7615	618	Note 1	2322
	Nitrate	mg/L	1st Qrt	03-Jul-23	13-Jul-23	23/0693	0.0	0.0	0.0	1.0	Note 1	10.0	0.0	2	Note 1	1.0
	Nitrogen (total)	mg/L	1st Qrt	03-Jul-23	13-Jul-23	23/0693	0.0	5.5	3.6	2.3	Note 1	9.9	0.6	4	Note 1	4.1
	pH	pH	1st Qrt	03-Jul-23	13-Jul-23	23/0693	7.2	7.2	7.3	8.0	Note 1	7.1	7.2	6.6	Note 1	7.1
	Phosphorus (total)	mg/L	1st Qrt	03-Jul-23	13-Jul-23	23/0693	0.20	0.09	0.00	0.04	Note 1	0.20	0.03	0.3	Note 1	0.60
Oct 23	Conductivity	µS/cm	2nd Qrt	09-Oct-23	09-Oct-23	23/1041	908	3452	3277	737	Note 1	581	7620	529	Note 1	2326
	pH	pH	2nd Qrt	09-Oct-23	09-Oct-23	23/1041	7.1	7.1	7.5	7.9	Note 1	7.1	7.0	6.7	Note 1	7.2
Jan 24	Conductivity	µS/cm	3rd Qrt	15-Jan-24	15-Jan-24	24/0059	921	3466	3360	728	Note 1	686	7728	Note 1	Note 1	Note 1
	pH	pH	3rd Qrt	15-Jan-24	15-Jan-24	24/0059	7.1	7.2	7.4	8.0	Note 1	7.1	7.0	Note 1	Note 1	Note 1
Apr 24	Conductivity	µS/cm	4th Qrt	09-Apr-24	22-Apr-24	24/0376	916	3438	3302	738	Note 1	Note 1	7687	Note 1	Note 1	Note 1
	pH	pH	4th Qrt	09-Apr-24	22-Apr-24	24/0376	7.3	7.4	7.5	8.1	Note 1	Note 1	7.2	Note 1	Note 1	Note 1

General Note: Limits are not applicable to this monitoring point
 Note 1- Bore empty